# Eaton 12BDGHC50

# Catalog Number: 12BDGHC50

Eaton Bussmann series medium voltage BS air fuse, 50 A, 12 kV, 40 kA, 51 x 461 mm, With Striker

# General specifications

Product Name Catalog Number
Eaton Bussmann series medium voltage 12BDGHC50

BS air fuse

Compliances

EAN

5027590431354

Certifications

Product Length/Depth Product Height

461 mm 50.8 mm

Product Width Product Weight

50.8 mm 2100 g

BS 2692-1 KEMA Certified





#### Type

Fuse

#### Application

protection of primary side transformers used in fuse switch

combination units, fuse

bases and fuse switches

# Amperage Rating

50 A

Fuse indicator

With Striker

Fuse size

51 x 461 mm

#### Breaking capacity

40 kA

# Installation technique

Air

# Performance Cat According To IEC 60282-1

Back-up

# **Product application**

Primary side transformer protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

**British Standard** 

Utilization category

Other

Voltage type

AC

With striker

Yes

# Class

Class back-up

# Fuse shape

Cylindrical, offset bolted tags

#### Pre arc (I2T)

2.5 x 103

#### Resistance

14.5 ohms

#### Fuse diameter

51 mm

# Interrupt rating

40 kAIC

# Construction size

51 x 461 mm

# Mounting method

Clip-in

# Voltage rating

12 kV

#### Fuse type

BDGH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia