

Eaton ESD50

Catalog Number: ESD50

Fuse-link, LV, 50 A, AC 415 V, BS88/F2, 18 x 68 mm, gL/gG, BS



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	ESD50
	EAN
	5027590498678
UPC	Product Length/Depth
051712844604	67 mm
Product Height	Product Width
18 mm	18 mm
Product Weight	Compliances
29.85 g	CE Marked
	RoHS Compliant
Certifications	
IEC 60269-2	
BS88	

Electrical data

Amperage Rating

50 A

Voltage rating

415 V

Voltage type

AC

Breaking capacity

80 kA

Class

Class gG/gL

Compatible fuse holder

Suitable for

63ENS Safeloc fuse holder

SC63 Safeclip fuse holder

Product specifications

Fuse type

ESD

Fitted with:

Offset bladed tags

Construction

BS88/F2

Resources

Catalogues

CA134002EN

Compliance information

CE ESD

UKCA ESD

Installation videos

Video BS88 industrial fuse links

Multimedia

Eaton Bussmann - Red Spot fuse links

Technical data sheets

4101 ESD fuses

Technical service bulletins

Datasheet - ESD50



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)