

Eaton NS16

Catalog Number: NS16

Fuse-link, LV, 16 A, AC 440 V, BS88/F1, 15 x 62 mm, gL/gG, BS



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	NS16
	Packing Unit
	Case Pack
	Pack
EAN	Quantity
5027590363211	800
5027590331456	20
Gross Weight	Length
14.264 kg	385 mm
0.323 kg	69 mm
Width	Height
280 mm	175 mm
62 mm	57 mm
Volume	ERP Name
18865 cm ³	SAP-UNITY
243.846 cm ³	SAP-UNITY
Product Length/Depth	Product Height
62 mm	15 mm
Product Width	Product Weight
15 mm	16.15 g
Compliances	
Contact Manufacturer	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

general industrial applications

Amperage Rating

16 A

Current type

AC

Breaking capacity

80 kA

Rated switching capacity

80 kA

Rated voltage AC

440 V

Class

Class gG/gL

Fuse type

NS

Utilization category

gL/gG (cable protection/equipment protection)

Color

None

Interrupt rating

80 kAIC

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Connection

Blade end

Construction

BS88/F1

Construction size

F1

Fuse shape

Resources

Catalogs

[CA134002EN](#)

Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

Offset bladed tags

Voltage type

AC

Voltage rating

440 V

Fuse system (according to IEC 60269)

Fuse system E



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia