

https://www.phoenixcontact.com/in/products/1212167



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.





Your advantages

- · Large selection of precision stripping tools
- The right tool for every application

Commercial Data

| Item number | 1212167 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales Key | внз |
| Product Key | BH3122 |
| Catalog Page | Page 412 (C-3-2019) |
| GTIN | 4046356454353 |
| Weight per Piece (including packing) | 78 g |
| Weight per Piece (excluding packing) | 78 g |
| Customs tariff number | 82055980 |
| Country of origin | SE |



https://www.phoenixcontact.com/in/products/1212167



Technical Data

Notes

| Environmental Product Compliance | |
|--|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
| roduct properties | |
| Product type | Stripping tool |
| onnection data | |
| Conductor connection | |
| Cross section range, metric | 0 mm² 0 mm² |
| | |
| imensions | |
| vimensions Width | 25.5 mm |
| | 25.5 mm 37.5 mm |
| Width | |
| Width Height | 37.5 mm |
| Width Height Length | 37.5 mm |
| Width Height Length laterial specifications | 37.5 mm 90 mm |



1212167

https://www.phoenixcontact.com/in/products/1212167

Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974



1212167

https://www.phoenixcontact.com/in/products/1212167

Classifications

UNSPSC 21.0

ECLASS

| | ECLASS-11.0 | 21043706 |
|------|-------------|----------|
| | ECLASS-12.0 | 21043706 |
| | ECLASS-13.0 | 21043706 |
| ETIM | | |
| | ETIM 8.0 | EC002109 |
| UN | ISPSC | |

27111500



https://www.phoenixcontact.com/in/products/1212167



Accessories

WIREFOX-D CX-5/SB - Spare knife

1212307

https://www.phoenixcontact.com/in/products/1212307

Spare knife for WIREFOX-D CX-5, strip-off dimensions 5.5 + 5.5 mm



Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in