

1212511

https://www.phoenixcontact.com/in/products/1212511

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Stripping tool, for standard 2.5, 4, and 6 mm² solar cables, with 15 mm length stop, for SUNCLIX field connectors

Your advantages

- · Large selection of precision stripping tools
- The right tool for every application

Commercial Data

| Item number | 1212511 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales Key | ВН3 |
| Product Key | BH3122 |
| Catalog Page | Page 413 (C-3-2019) |
| GTIN | 4046356585170 |
| Weight per Piece (including packing) | 50.925 g |
| Weight per Piece (excluding packing) | 50 g |
| Customs tariff number | 82055980 |
| Country of origin | SE |



https://www.phoenixcontact.com/in/products/1212511



Technical Data

Notes

| For improved all Port and Occording to | | | |
|--|---|--|--|
| Environmental Product Compliance | | | |
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration | | |
| Product properties | | | |
| Product type | Stripping tool | | |
| Connection data | | | |
| Conductor connection | | | |
| Cross section range, metric | 0.75 mm ² 1.5 mm ² (Stripping range) | | |
| | 2.5 mm ² 6 mm ² (Cutting zone) | | |
| Cross section range AWG | 14 10 (Stripping range) | | |
| | 14 10 (Cutting zone) | | |
| Dimensions | | | |
| Width | 22 mm | | |
| Height | 43 mm | | |
| Length | 83 mm | | |
| Material specifications | | | |
| Color | black | | |
| Cable/line | | | |
| External cable diameter | 1.9 mm 2.9 mm | | |



1212511

https://www.phoenixcontact.com/in/products/1212511

Approvals





Approval ID: RU x-DE.xx08.B.02974



1212511

https://www.phoenixcontact.com/in/products/1212511

Classifications

ECLASS

| | ECLASS-11.0 | 21043706 | | |
|--------|-------------|----------|--|--|
| | ECLASS-12.0 | 21043706 | | |
| | ECLASS-13.0 | 21043706 | | |
| ETIM | | | | |
| | ETIM 8.0 | EC002109 | | |
| UNSPSC | | | | |
| | UNSPSC 21.0 | 27111500 | | |

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in