

2966786

https://www.phoenixcontact.com/in/products/2966786

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: red

Commercial Data

Item number	2966786
Packing unit	20 pc
Minimum order quantity	1 pc
Sales Key	CK6
Product Key	CK6243
Catalog Page	Page 426 (C-5-2019)
GTIN	4017918130602
Weight per Piece (including packing)	45.04 g
Weight per Piece (excluding packing)	42.62 g
Customs tariff number	85366990
Country of origin	DE



2966786

https://www.phoenixcontact.com/in/products/2966786

Technical Data

Product properties			
Product type	Bridge		
Electrical properties			
Maximum load current	32 A		
Connection data			
Maximum load current	32 A		
Dimensions			
Length	500 mm		
Material specifications			
Color	red		



2966786

https://www.phoenixcontact.com/in/products/2966786

Approvals



PRS

Approval ID: TE/2109/880590/16



GL

Approval ID: 46016-03 HH



2966786

https://www.phoenixcontact.com/in/products/2966786

Classifications

ECLASS

202.100				
	ECLASS-11.0	27141140		
	ECLASS-12.0	27141140		
	ECLASS-13.0	27250303		
ETIM				
	ETIM 8.0	EC000489		
UNSPSC				
	UNSPSC 21.0	39121400		



2966786

https://www.phoenixcontact.com/in/products/2966786

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in