


H2,5/21D ZH BL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- supplied loose in poly-bag
- DIN colour code
- other colour code

General ordering data

| | |
|------------|---|
| Version | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, blue |
| Order No. | 9037510000 |
| Type | H2,5/21D ZH BL |
| GTIN (EAN) | 4008190493080 |
| Qty. | 100 pc(s). |
| Packaging | loose |

Creation date August 1, 2024 10:44:57 AM CEST

Catalogue status 13.07.2024 / We reserve the right to make technical changes.

H2,5/21D ZH BL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.32 g

Technical data

| Description of article | Twin wire end ferrule, blue | Version | Twin wire-end ferrule |
|------------------------|-----------------------------|---------|-----------------------|
|------------------------|-----------------------------|---------|-----------------------|

Wire-end ferrules

| | | | |
|---|--------|-----------------------------|---------------------|
| Collar height (A) | 8 mm | Collar width (B) | 4.5 mm |
| Colour code | DIN | Conductor cross-section | 2.5 mm ² |
| Contact surface diameter (D1) | 2.8 mm | Contact surface length (L2) | 12 mm |
| L1 in mm | 21 mm | Metal sleeve thickness (S1) | 0.15 mm |
| Plastic collar thickness (S2) | 0.4 mm | Stripping length | 15 mm |
| Wire connection cross section AWG, max. | AWG 14 | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000005 | ETIM 7.0 | EC000005 |
| ETIM 8.0 | EC000005 | ETIM 9.0 | EC000005 |
| ECLASS 9.0 | 27-40-02-01 | ECLASS 9.1 | 27-40-02-01 |
| ECLASS 10.0 | 27-40-02-01 | ECLASS 11.0 | 27-40-02-01 |
| ECLASS 12.0 | 27-40-02-01 | ECLASS 13.0 | 27-40-02-01 |

Environmental Product Compliance

| | |
|------------------------|-----------------------------|
| REACH SVHC | / |
| RoHS Compliance Status | Compliant without exemption |

Approvals

Approvals



| | |
|-------------------------|------------|
| ROHS | Conform |
| UL File Number Search | UL Website |
| Certificate no. (cULus) | E499744 |

Downloads

| | |
|--------------------|--|
| Engineering Data | CAD data – STEP |
| Engineering Data | Zuken E3.S |
| User Documentation | Technical information - EN Technical information - DE |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

H2,5/21D ZH BL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

