

Eaton 100NZ03

Catalog Number: 100NZ03

Fuse-link, LV, 100 A, AC 400 V, D03, gL/gG, IEC, time-delay



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage D0 fuse	100NZ03
	EAN
	5027590428385
Product Length/Depth	Product Height
43 mm	23 mm
Product Width	Product Weight
23 mm	122.2 g
Compliances	Certifications
CE Marked	IEC 60269
RoHS Compliant	EAC
	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301



Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Fuse

Application

For domestic and general industrial applications

Amperage Rating

100 A

Fuse size

D03

Breaking capacity

50 kA

Rated voltage AC

400 V

Class

Class C gL/gG

Fuse type

NZ03 - Time delay

Accessory/spare part type

100GN03 Red screw cap gauge piece

Utilization category

gG (cable protection/equipment protection)

Color

Red

Interrupt rating

50 kAIC

Fuse indicator

Non-indicating

Connection

Other

Construction

D03

Construction size

D03

Fuse shape

Bottle

Response time

Resources

Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

Catalogs

[CA134002EN](#)

Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

Technical service bulletins

[Datasheet - 100NZ03](#)

Time-delay

Suitable for

M30 x 2 (D03) Fuse base

Material

White ceramic body

Voltage rating

400 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)