Eaton 120EFMA50

Catalog Number: 120EFMA50

Oil fuse-link, medium voltage, 50 A, AC 12 kV, BS2692 F01, 254 x 63.5 mm, back-up, BS, IEC, ESI, with striker

General specifications

Product Name Catalog Number

Eaton Bussmann series medium voltage 120EFMA50

oil fuse

051712585453

UPC

EAN Product Length/Depth

5027590432634 254 mm

Product Height Product Width 63.5 mm 63.5 mm

Product Weight Warranty

1900 g Not Applicable

Compliances Certifications
BS 2692-1 IEC Rated
ESI 12-8 IEC60282-1





Resources

default Taxonomy Attribute LabelType fuse Application protection of primary side transformer, and oil-filled fuse switch combination unit **Amperage Rating** 50 A Fuse indicator with striker Fuse size 254 x 63.5 mm Breaking capacity 40 kA Installation technique Oil Performance Cat According To IEC 60282-1 Back-up **Product application** Primary side transformer protection Rated frequency - max 60 Hz Rated frequency - min 50 Hz Release characteristic Other Standard **British Standard** Utilization category Other Voltage type AC With striker Yes Fuse diameter

63.5 mm

Joule integral (I2T) - max operating

2.8 x 104

Joule integral (I2T) - min pre-arcing

2.9 x 103

Resistance

20.1

Class

Class back-up

Barrels

1

Construction type

F01/BS 2692

Fuse shape

Cylindrical

Interrupt rating

40 kAIC

Construction size

63.5 x 254 mm

Voltage rating

12 kV

Fuse type

OEFM



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia