# Eaton 140FEE

## Catalog Number: 140FEE

Eaton Bussmann series high speed British standard fuse, Double barrel, 140A, 690 VAC/500 VDC (IEC), 700 VAC/500 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym.HS, 50 kA DC at 500 VDC

## General specifications

#### Product Name

Eaton Bussmann series high speed british standard fuse

## EAN

5027590433563

Product Height 36 mm

Product Weight 91.6 g

Compliances CE Marked RoHS Compliant 140FEE UPC 051712836593

Catalog Number

Product Length/Depth 94 mm

Product Width 20 mm

Warranty Not Applicable

Certifications

IEC Rated UL Recognized Designed and tested to BS88 part 4 IEC 60269-4





## Electrical data

## Amperage Rating

140 A

Voltage rating 690 V (IEC), 700 V (UL)

Rated voltage AC 690 V

Rated voltage DC 500 V

Interrupt rating 200 kA RMS Sym, 50 kA at 500 Vdc

Class Class aR

Pre arc (I2T)

850

Clearing (I2T) 2500 at 415 V, 3800 at 660 V

Watt losses

36 W

## **Product specifications**

#### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

## Compatble Trip indicator/Microswitch

#### Suitable for

EC-600 Trip indicator kit (indicator + clips) TI700 Fuse indicator MAI Microswitch/adaptor MBI Microswitch/adaptor

## Resources

## Brochures

eaton-bussmann-series-bs88-high-speed-fuses-product-aidpa135003en-us.pdf

Catalogs IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Certification reports

DA-DC-00004682

DA-DC-00004685

### Technical data sheets

720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia