Eaton 15::50HGMA80

Catalog Number: 15.5OHGMA80

Oil fuse-link, medium voltage, 80 A, AC 15.5 kV, BS2692 F02, 63.5 x 359 mm, back-up, BS, IEC, ESI, with striker

General specifications

Product Name

Catalog Number

Eaton Bussmann series medium voltage 15.5OHGMA80

oil fuse

Model Code

15.5KV 80A OIL FUSE

UPC

051712831451

EAN

5027590433952

Product Length/Depth

Product Height

359 mm

63.5 mm

Product Width

Product Weight

63.5 mm

2600 g

Warranty

Compliances

Not Applicable

BS 2692-1

ESI 12-8

Certifications

IEC Rated

IEC60282-1



Resources

defaultTaxonomyAttributeLabel
Type fuse
Application protection of primary side transformer, and oil-filled fuse switch combination unit
Amperage Rating 80 A
Fuse indicator with striker
Fuse size 63.5 x 359 mm
Breaking capacity 40 kA
Installation technique Oil
Performance Cat According To IEC 60282-1 Back-up
Product application Primary side transformer protection
Rated frequency - max 60 Hz
Rated frequency - min 50 Hz
Release characteristic Other
Standard British Standard
Utilization category Other
Voltage type AC
With striker Yes
Fuse diameter 63.5 mm

Joule integral (I2T) - max operating

5.4 x 104

Joule integral (I2T) - min pre-arcing

3.2 x 103

Resistance

15.5

Class

Class back-up

Construction type

F02/BS 2692

Fuse shape

Cylindrical

Interrupt rating

40 kAIC

Construction size

63.5 x 359 mm

Voltage rating

15.5 kV

Fuse type

OHGM



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia