Eaton 16CT

Catalog Number: 16CT

Eaton Bussmann series high speed British standard fuse, 250V, 16A, 200 kAIC, None, Fuse, Blade end X blade end, Stud

General specifications

Product Name

Eaton Bussmann series high speed

16CT

british standard fuse

Packing Unit

Catalog Number

Case Pack

Pack

EAN

Quantity 1680

5027590344340 5027590035132

Gross Weight

Length

20

14.044 kg 385 mm 0.166 kg

82 mm

Width Height 280 mm 175 mm

90 mm 21 mm

Volume **ERP Name** 18865 cm³ SAP-UNITY 3099.6 cm³ SAP-UNITY

Product Length/Depth **Product Height**

82 mm 21 mm

Product Width Product Weight

90 mm 8.3 g

Compliances Certifications

CE Marked UL Recognized **RoHS Compliant IEC Rated**

Designed and tested to BS88 part 4

IEC 60269-4



Electrical data

Amperage Rating

16 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

90 kA RMS Sym, 40 kA at 500 Vdc (IEC) 200 kA RMS Sym, 50 kA at 500 Vdc (UL)

Class

Class aR

Pre arc (I2T)

16

Clearing (I2T)

Watt losses

7 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

Non Indicating

Compatble Trip indicator/Microswitch

Suitable for

TI700 Fuse indicator MAI Microswitch/adaptor MBI Microswitch/adaptor

Resources

Brochures

eaton-bussmann-series-bs88-high-speed-fuses-product-aidpal35003en-us.pdf

Catalogs

IEC high speed fuse links

Certification reports

DA-DC-00004685

DA-DC-00004682

Technical data sheets

720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.









Eaton.com/socialmedia