

# Eaton 16D16R

Catalog Number: 16D16R

Fuse-link, LV, 16 A, AC 500 V, D1, gR, IEC, ultra rapid



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage D fuse	16D16R
	<b>EAN</b>
	5027590437547
<b>Product Length/Depth</b>	<b>Product Height</b>
50 mm	14 mm
<b>Product Width</b>	<b>Product Weight</b>
14 mm	12.6 g
<b>Compliances</b>	<b>Certifications</b>
CE Marked	IEC 60269
RoHS Compliant	EAC
	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

For domestic and general industrial applications

### Amperage Rating

16 A

### Fuse size

DI

### Breaking capacity

50 kA

### Construction size (fuse inserts)

DI

### Rated voltage AC

500 V

### Class

Class gR

### Fuse type

D16R - Ultra rapid

### Accessory/spare part type

16GD16 Grey screw cap gauge piece

### Utilization category

gR (general purpose semiconductor protection)

### Color

Gray

### Interrupt rating

50 kAIC

### Fuse indicator

Non-indicating

### Connection

Other

### Construction

D1

### Construction size

DI

### Fuse shape

## Resources

### Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

### Catalogs

[CA134002EN](#)

### Compliance information

[CE Bottle fuse-links, holders, carriers and accessories](#)

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

### Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

### Technical service bulletins

[Datasheet - 16D16R](#)

Bottle

Response time

Ultra rapid

Suitable for

E16/DI Fuse base

Material

White ceramic body

Release characteristic

Super fast (FF)

Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)