Eaton 170L9877

Catalog Number: 170L9877

Fuse-link, high speed, 500 A, AC 1500 V, Size 3, 74 x 92 x 242 mm, aR, IEC, single indicator

General specifications

IEC 60269-4

| Product Name | Catalog Number |
|----------------------------------|----------------|
| Eaton Bussmann series high speed | 170L9877 |
| square body fuse | EAN |
| | 5027590440400 |
| Product Length/Depth | Product Height |
| 168 mm | 75 mm |
| Product Width | Product Weight |
| 94 mm | 236.8 g |
| Certifications | |





defaultTaxonomyAttributeLabel

Туре

Fuse

Application

semiconductor protection

Amperage Rating

500 A

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

1500 V

Center-to-center distance of connections

208 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Fuse shape

Square body, slotted center bolted tags

Color

None

Construction size

3

Packaging type

Standard

Voltage rating

Resources

1500 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia