Eaton 170M0116



Fuse-link, high speed, 80 A, AC 660 V, size 0000, 18 x 19 x 100 mm, aR, UL



General specifications

Product Name Catalog Number Eaton Bussmann series high speed 170M0116 square body fuse EAN 5027590440462 **Product Height** 40 mm Product Weight 52.5 g

UPC 051712815581 Product Length/Depth 140 mm **Product Width** 102 mm Compliances CE **RoHS** Compliant

EAC

Certifications IEC 60269-4



defaultTaxonomyAttributeLabel

Туре

Fuse

Application

semiconductor protection

Amperage Rating

80 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

0000

Rated voltage AC

660 V

Center-to-center distance of connections

78 mm

Current type

AC

Mounting dimension

M8

Class

Class aR

Watt losses

17 W

Fuse shape

Square body, slotted offset bolted tags

Color

None

Interrupt rating

Resources

200 kAIC

Construction size

0000

Packaging type

Standard

Voltage rating

660 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia