

Eaton 170M2676

Catalog Number: 170M2676

Fuse-link, high speed, 35 A, AC 1000 V, DIN 00, aR, DIN, IEC, single indicator, live gripping lugs

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2676
	Model Code
	FUSE 35A 1000V DIN 00 AR
UPC	EAN
051712587792	5027590442589
Product Length/Depth	Product Height
217 mm	65 mm
Product Width	Product Weight
85 mm	208.8333333 g
Warranty	Compliances
Not Applicable	Contact factory
	RoHS Compliant



defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

35 A

Breaking capacity

125 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

00

Rated voltage AC

1000 V

Current type

AC

Class

Class aR

Watt losses

12 W

Fuse shape

Square body, knife blade contacts

Color

None

Interrupt rating

125 kAIC

Fitted with:

Type T Indicator for micro

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2676--Eaton Bussmann series high speed square body fuse

Compliance information

CE Fuse-links for the protection of semiconductor devices, sz00 up to 250A

UKCA Fuse-links for the protection of semiconductor devices, sz00 up to 250A

Construction size

00

Packaging type

Standard

Voltage rating

1000 V (IEC)

Fuse type

DIN 43620

T indicator for micro

Bladed

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia