

Eaton 170M2683

Catalog Number: 170M2683

Fuse-link, high speed, 160 A, AC 1000 V, DIN 00, aR, DIN, IEC, single indicator, live gripping lugs

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2683
	UPC
	051712671712
EAN	Product Length/Depth
5027590442718	79 mm
Product Height	Product Width
60 mm	30 mm
Product Weight	Warranty
223 g	Not Applicable
Compliances	
Contact factory	
RoHS Compliant	

Product specifications

Fuse indicator

Top fuse status indicator

Interrupt rating

125 kAIC

Construction size

00

Rated voltage AC

1000 V

Color

None

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

160 A

Utilization category

aR (accompanied semiconductor protection)

Watt losses

26 W

Fuse type

DIN 43620

T indicator for micro

Bladed

Type

Fuse

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse shape

Square body, knife blade contacts

Breaking capacity

125 kA

Fuse size

00

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2683-Eaton Bussmann series high speed square body fuse

Compliance information

UKCA Fuse-links for the protection of semiconductor devices, sz00 up to 250A

CE Fuse-links for the protection of semiconductor devices, sz00 up to 250A

Class

Class aR

Voltage rating

1000 V (IEC)

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)