

Eaton 170M2692

Catalog Number: 170M2692

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 16A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class gR, DIN 43 620

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2692
	Model Code
	FUSE 16A 690V DIN 00 GR
UPC	EAN
051712540261	5027590442770
Product Length/Depth	Product Height
217 mm	65 mm
Product Width	Product Weight
85 mm	218 g
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant
Certifications	
UL Recognized	
IEC Rated	



defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

16 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

gR (general purpose semiconductor protection)

Voltage type

AC

Fuse size

00

Rated voltage AC

690 V

Current type

AC

Class

Class gR

Clearing (I₂T)

38 at 600 V

Watt losses

5.5 W

Fuse shape

Square body, knife blade contacts

Pre arc (I₂T)

7.2

Color

None

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2692-Eaton Bussmann series high speed square body fuse

Interrupt rating

200 kAIC

Fitted with:

Type T Indicator for micro

Connection

Blade end x Din 43-620 blade end

Construction size

00

Packaging type

Standard

Voltage rating

690 V (IEC)

Fuse type

DIN 43620

T indicator for micro

Bladed

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia