

Eaton 170M2694

Catalog Number: 170M2694

Fuse-link, high speed, 25 A, AC 690 V, DIN 00, 30 x 60 x 79 mm, gR, DIN, IEC, single indicator

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2694
	UPC
	051712265263
EAN	Product Length/Depth
5027590442800	217 mm
Product Height	Product Width
65 mm	85 mm
Product Weight	Compliances
207.8333333 g	CE
	RoHS Compliant
	EAC
Certifications	
IEC 60269-4	
DIN	

Product specifications

Resources

Fuse indicator

Top fuse status indicator

Interrupt rating

200 kAIC

Construction size

00

Rated voltage AC

690 V

Color

None

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

25 A

Utilization category

gR (general purpose semiconductor protection)

Watt losses

8 W

Fuse type

DIN 43620

T indicator for micro

Bladed

Type

Fuse

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse shape

Square body, knife blade contacts

Breaking capacity

200 kA

Fuse size

00

Class

Class gR

Voltage rating

690 V (IEC)

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)