

Eaton 170M2696

Catalog Number: 170M2696

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 40A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class gR, DIN 43 620

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2696
	UPC
	051712265560
EAN	Product Length/Depth
5027590442831	217 mm
Product Height	Product Width
65 mm	85 mm
Product Weight	Warranty
218 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized



Product specifications

Interrupt rating

200 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

40 A

Fuse type

DIN 43620

T indicator for micro

Bladed

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse size

00

Voltage rating

690 V (IEC)

Fuse indicator

Top fuse status indicator

Construction size

00

Clearing (I²T)

490 at 600 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x Din 43-620 blade end

Utilization category

gR (general purpose semiconductor protection)

Watt losses

10 W

Resources

Catalogs

170M2696-Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Type

Fuse

Fuse shape

Square body, knife blade contacts

Breaking capacity

200 kA

Class

Class gR

Pre arc (I₂T)

95

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)