

Eaton 170M2697

Catalog Number: 170M2697

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 50A, 200 kAIC, Top fuse status indicator, Fuse, Blade end X Din 43-620 blade end, Class gR, DIN 43 620

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2697
	UPC
	051712265621
EAN	Product Length/Depth
5027590442848	217 mm
Product Height	Product Width
65 mm	85 mm
Product Weight	Warranty
207.5 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized



Product specifications

Interrupt rating

200 kAIC

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

50 A

Fuse type

DIN 43620

T indicator for micro

Bladed

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse size

00

Voltage rating

690 V (IEC)

Fuse indicator

Top fuse status indicator

Construction size

00

Clearing (I²T)

1000 at 600 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x Din 43-620 blade end

Utilization category

gR (general purpose semiconductor protection)

Watt losses

11 W

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2697-Eaton Bussmann series high speed square body fuse

Type

Fuse

Fuse shape

Square body, knife blade contacts

Breaking capacity

200 kA

Class

Class gR

Pre arc (I₂T)

185

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)