

# Eaton 170M3319

Catalog Number: 170M3319

Fuse-link, high speed, 400 A, AC 690 V, compact size 1, 45 x 59 x 102 mm, aR, IEC, UL, visual indicator



## General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M3319
	UPC
	051712799751
EAN	Product Length/Depth
5704057021234	305 mm
Product Height	Product Width
65 mm	145 mm
Product Weight	Warranty
301 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

## defaultTaxonomyAttributeLabel

### Type

Square body, French style -E/ type T indicator for micro

### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

### Amperage Rating

400 A

### Fuse indicator

Non Indicating

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC

### Fuse size

1\*

### Class

Class aR

### Clearing (I2T)

105000 at 660 V

### Watt losses

60 W

### Pre arc (I2T)

15000

### Interrupt rating

200 kAIC

### Fitted with:

Type T Indicator for micro

### Packaging type

Standard

### Voltage rating

700 V (UL), 690 V (IEC)

### Fuse type

French style

E/Type indicator for micro

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

170M3319~400A 690V IEC 1\*E/76 aR FUSE

### Compliance information

UKCA Fuse-links for the protection of semiconductor devices, sz1\* up to 630A

CE Fuse-links for the protection of semiconductor devices, sz1\* up to 630A



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)