

Eaton 170M3967

Catalog Number: 170M3967

Fuse-link, high speed, 80 A, AC 1000 V, compact DIN 1, 43 x 61 x 138 mm, aR, DIN, IEC, type K indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M3967
	Model Code
	FUSE 80A 1000V 1*KN/110 AR
UPC	EAN
051712678896	5027590450669
Product Length/Depth	Product Height
290 mm	62 mm
Product Width	Product Weight
142 mm	0.9 g
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant
Certifications	
UL Recognized	
IEC Rated	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

80 A

Breaking capacity

125 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

1*

Rated voltage AC

1000 V

Center-to-center distance of connections

106 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I²T)

2750 at 1000 V

Watt losses

30 W

Fuse shape

Square body, slotted center bolted tags

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M3967-FUSE 80A 1000V 1*KN/110 AR

Compliance information

CE Fuse-links for the protection of semiconductor devices, sz1* up to 630A

UKCA Fuse-links for the protection of semiconductor devices, sz1* up to 630A

Pre arc (I2T)

460

Color

None

Interrupt rating

125 kAIC

Construction size

Other

Packaging type

Standard

Voltage rating

1000 V (IEC)

Fuse type

DIN 43653

KN/110 Type K Indicator for Micro

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)