

Eaton 170M3989

Catalog Number: 170M3989

Fuse-link, high speed, 315 A, AC 1000 V, compact DIN 1, 43 x 61 x 138 mm, aR, DIN, IEC, single indicator

General specifications



Product Name

Eaton Bussmann series high speed
square body fuse

Catalog Number

170M3989

Model Code

FUSE 315A 1000V 1*TN/110 AR

UPC

051712679053

EAN

5027590450829

Product Length/Depth

305 mm

Product Height

65 mm

Product Width

145 mm

Product Weight

319 g

Warranty

Not Applicable

Compliances

CE Marked

RoHS Compliant

Certifications

UL Recognized

IEC Rated

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

315 A

Breaking capacity

125 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

1*

Rated voltage AC

1000 V

Center-to-center distance of connections

108 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I₂T)

130000 at 1000 V

Watt losses

60 W

Fuse shape

Square body, slotted center bolted tags

Resources

Catalogs

170M3989-Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA Fuse-links for the protection of semiconductor devices, sz1* up to 630A

CE Fuse-links for the protection of semiconductor devices, sz1* up to 630A

Pre arc (I2T)

21500

Color

None

Interrupt rating

125 kAIC

Construction size

Other

Packaging type

Standard

Voltage rating

1000 V (IEC)

Fuse type

DIN 43653

TN/110 Type T Indicator for Micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia