Eaton 170M4668

Catalog Number: 170M4668

Fuse-link, high speed, 800 A, AC 690 V, size 1, 53 x 69 x 136 mm, aR, IEC, UL, type K indicator, 90 mm fixing centres

General specifications

Product Name

Eaton Bussmann series high speed

square body fuse

Catalog Number

170M4668

Model Code

FUSE 800A 690V 1FKE/90 AR UC

UPC

051712812351

Product Length/Depth

245 mm

Product Width

142 mm

Warranty

Not Applicable

EAN

5027590453905

Product Height

62 mm

Product Weight

184.3333333 g

Compliances

CE Marked

RoHS Compliant

Certifications

IEC Rated

UL Recognized



default Taxonomy Attribute Label

Type Fuse Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers **Amperage Rating** 800 A Breaking capacity 200 kA Fuse indicator Centre fuse status indicator Insulated metal gripping lugs (IMGL) No Utilization category aR (accompanied semiconductor protection) Voltage type AC Fuse size 1 Rated voltage AC 690 V Center-to-center distance of connections 91 mm Current type AC Mounting dimension M12 Class Class aR Clearing (I2T) 725000 at 660 V Watt losses

95 W

Fuse shape

Square body, center bolted tags

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M4668~Eaton Bussmann series high speed square body fuse

Compliance information

CE Fuse-links for the protection of semiconductor devices, Size 1 up to 900A

UKCA Fuse-links for the protection of semiconductor devices, Size 1 up to 900A

Pre arc (I2T)

105000

Color

None

Interrupt rating

200 kAIC

Fitted with:

Type K Indicator for micro

Connection

Blade end x blade end

Construction size

1

Packaging type

Standard

Voltage rating

690 V

Fuse type

US Style

FKE/Type K indicator for micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia