# Eaton 170M4744

### Catalog Number: 170M4744

Fuse-link, high speed, 450 A, AC 1250 V, size 1, 53 x 69 x 160 mm, aR, IEC, UL, single indicator

### General specifications



Eaton Bussmann series high speed

square body fuse

EAN

5996516013953

**Product Height** 

52 mm

**Product Weight** 

622 g

Compliances

CE Marked RoHS Compliant Catalog Number

170M4744

UPC

051712259743

Product Length/Depth

73 mm

Product Width

170 mm

Warranty

Not Applicable

Certifications

CSA Certified IEC Rated

**UL** Recognized



Photo is representative



## default Taxonomy Attribute LabelType Fuse Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers **Amperage Rating** 450 A Breaking capacity 100 kA Fuse indicator Centre fuse status indicator Insulated metal gripping lugs (IMGL) No Utilization category aR (accompanied semiconductor protection) Voltage type AC Fuse size 1 Rated voltage AC 1250 V Center-to-center distance of connections 115 mm Current type AC Mounting dimension M12 Class Class aR Clearing (I2T) 250000 at 1000 V, 335000 at 1250 V Watt losses

80 W

Fuse shape

Square body, center bolted tags

### Resources

### Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-

Bussmann series complete full line catalog no. 1007

### Compliance information

UKCA HS Size 1, 1250 V, rated up to 550A

CE HS Size 1, 1250 V, rated up to 550A

### Pre arc (I2T)

42000

Color

None

Interrupt rating

100 kAIC

Fitted with:

Type K Indicator for micro

Construction size

Packaging type

Standard

Voltage rating

1250 V

Fuse type

US Style

FKE/115 Type K indicator for micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia