# Eaton 170M5220

### Catalog Number: 170M5220

Fuse-link, high speed, 700 A, AC 1250 V, size 2, 61 x 77 x 244 mm, aR, DIN, IEC, single indicator

#### General specifications



Eaton Bussmann series high speed

square body fuse

Product Length/Depth

210 mm

**Product Width** 

160 mm

Compliances

CE

RoHS Compliant

EAC

Catalog Number

170M5220

EAN

5996516015131

**Product Height** 

52 mm

**Product Weight** 

2102 g

Certifications

IEC 60269-4



Photo is representative



#### defaultTaxonomyAttributeLabel

## Type Fuse Application semiconductor protection Amperage Rating 700 A Breaking capacity 100 kA Fuse indicator Centre fuse status indicator Insulated metal gripping lugs (IMGL) No Utilization category aR (accompanied semiconductor protection) Voltage type AC Fuse size 2 Rated voltage AC 1250 V Center-to-center distance of connections 208 mm Current type AC Mounting dimension M10 Class Class aR Watt losses 115 W Fuse shape Square body, slotted center bolted tags Color None Interrupt rating

#### Resources

#### Catalogs

 $eaton-product-overview-for-machinery-catalogue-ca08103003zen-enus. \\ pdf$ 

100 kAIC

Construction size

2

Packaging type

Standard

Voltage rating

1250 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia