

Eaton 170M5267

Catalog Number: 170M5267

Fuse-link, high speed, 1100 A, AC 600 V, DIN 2, 61 x 77 x 138 mm, aR, DIN, IEC, type K indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M5267
	UPC
	051712260831
EAN	Product Length/Depth
5027590456548	286 mm
Product Height	Product Width
66 mm	165 mm
Product Weight	Warranty
619 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

1100 A

Breaking capacity

200 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

2

Rated voltage AC

600 V

Center-to-center distance of connections

108 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I²T)

1600000 at 660 V

Watt losses

120 W

Clearing loss

115

Resources

Catalogs

170M5267-Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Technical data sheets

720014 DIN 43653 690V

Fuse shape

Square body, slotted center bolted tags

Pre arc (I2T)

245000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

2

Packaging type

Standard

Voltage rating

600 Vac

Fuse type

DIN 43653

KN/110 Type K Indicator for Micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)