# Eaton 170M5313

### Catalog Number: 170M5313

Fuse-link, high speed, 700 A, AC 690 V, size 2, 61 x 61 x 126 mm, aR, IEC, single indicator

#### General specifications

## **Product Name**

**RoHS** Compliant

Catalog Number Eaton Bussmann series high speed 170M5313 square body fuse EAN 5027590456647 210 mm **Product Height** 80 mm Product Weight 740 g Compliances CE Marked

UPC 051712792691 Product Length/Depth

**Product Width** 160 mm

Warranty Not Applicable

#### Certifications

**UL** Recognized IEC Rated





#### defaultTaxonomyAttributeLabel

#### Туре

Fuse

#### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

#### Amperage Rating

700 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

#### Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

2

Rated voltage AC

690 V

Center-to-center distance of connections

90.9 mm

Current type

AC

Mounting dimension

Other

Class

Class aR

Clearing (I2T)

405000 at 660 V

Watt losses

95 W

Fuse shape

Square body, slotted center bolted tags

#### Resources

#### Catalogs

170M5313~Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

#### Pre arc (I2T)

60500

Color None

Interrupt rating

200 kAIC

Fitted with:

Type T Indicator for micro

Construction size

2

Packaging type

Standard

Voltage rating

690 V

Fuse type

French style E/Type indicator for micro Bolted tag

Fuse system (according to IEC 60269) Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia