

Eaton 170M5416

Catalog Number: 170M5416

Fuse-link, high speed, 1000 A, AC 690 V, size 2, 61 x 77 x 51 mm, aR, IEC, UL, single indicator

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M5416
	UPC
	051712261210
EAN	Product Length/Depth
5027590457088	78 mm
Product Height	Product Width
123 mm	155 mm
Product Weight	Warranty
530 g	Not Applicable
Compliances	Certifications
CE Marked	UL Recognized
RoHS Compliant	IEC Rated

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

1000 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

2

Rated voltage AC

690 V

Center-to-center distance of connections

50.4 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I²T)

1250000 at 660 V

Watt losses

115 W

Fuse shape

Square body, flush end contacts

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[170M5416-Eaton Bussmann series high speed square body fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA Fuse-links for the protection of semiconductor devices, Size 2](#)

[CE Fuse-links for the protection of semiconductor devices, Size 2](#)

Installation videos

[Eaton's Switch disconnectors and Bussmann series fuses for MOEM Applications \(brightcove.net\)](#)

Pre arc (I2T)

180000

Color

None

Interrupt rating

200 kAIC

Construction size

2

Mounting method

Flush

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

Flush end

B/Visual indicator

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia