

Eaton 170M6111

Catalog Number: 170M6111

Fuse-link, high speed, 700 A, AC 690 V, DIN 3, 76 x 92 x 109 mm, aR, DIN, IEC, type K indicator

General specifications



Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M6111

Model Code

FUSE 700A 690V 3KN/80 AR UC

UPC

051712262828

EAN

5996516017746

Product Length/Depth

168 mm

Product Height

76 mm

Product Width

95 mm

Product Weight

967 g

Warranty

Not Applicable

Compliances

CE Marked
RoHS Compliant

Certifications

UL Recognized
IEC Rated

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

700 A

Breaking capacity

200 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

690 V

Center-to-center distance of connections

78 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I²T)

300000 at 660 V

Watt losses

110 W

Clearing loss

110

Resources

Catalogs

170M6111-Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Technical data sheets

720014 DIN 43653 690V

Fuse shape

Square body, slotted center bolted tags

Pre arc (I2T)

44500

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

3

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

DIN 43653

KN/80 Type K Indicator for Micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)