Eaton 170M6195

Catalog Number: 170M6195

Fuse-link, high speed, 700 A, AC 1250 V, size 3, 76 x 90 x 139 mm, aR, DIN, IEC, single indicator

General specifications



Photo is representative

Product Name

Eaton Bussmann series high speed

square body fuse

5027590350693

Gross Weight

13.07 kg

EAN

Width 280 mm

Volume

18865 cm³

Product Length/Depth

168 mm

Product Width

95 mm

Compliances

CE Marked RoHS Compliant Catalog Number

170M6195

Packing Unit

Case Pack

Quantity

10

Length

385 mm

Height

175 mm

ERP Name

SAP-UNITY

Product Height

76 mm

Product Weight

1264 g

Certifications

UL Recognized IEC Rated

Powering Business Worldwide

default Taxonomy Attribute Label

Type Fuse Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers **Amperage Rating** 700 A Breaking capacity 100 kA Fuse indicator Top fuse status indicator Insulated metal gripping lugs (IMGL) No Utilization category aR (accompanied semiconductor protection) Voltage type AC/DC Fuse size 3 Rated voltage AC 1250 V Center-to-center distance of connections 108 mm Current type AC Mounting dimension M10 Class Class aR Clearing (I2T) 705000 at 1000 V, 940000 at 1250 V

Watt losses 120 W

Fuse shape

Square body, slotted center bolted tags

Resources

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-enus.pdf

Compliance information

CE Fuse-links for the protection of semiconductor devices, Size 3

UKCA Fuse-links for the protection of semiconductor devices, Size 3

Pre arc (I2T)

115000

Color

None

Interrupt rating

100 kAIC

Construction size

3

Packaging type

Standard

Voltage rating

1250 V (IEC), 1300 V (UL)

Fuse type

DIN 43653

TN/110 Type T Indicator for Micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia