

Eaton 170M6203

Catalog Number: 170M6203

Fuse-link, high speed, 800 A, AC 1250 V, size 3, 76 x 76 x 150 mm, aR, IEC, single indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M6203
	Packing Unit
	Case Pack
EAN	Quantity
5027590350761	10
Gross Weight	Length
13.38 kg	385 mm
Width	Height
280 mm	175 mm
Volume	ERP Name
18865 cm ³	SAP-UNITY
Product Length/Depth	Product Height
168 mm	76 mm
Product Width	Product Weight
95 mm	1338 g
Compliances	
Contact factory	
RoHS Compliant	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

semiconductor protection

Amperage Rating

800 A

Breaking capacity

100 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

1250 V

Current type

AC

Class

Class aR

Watt losses

125 W

Fuse shape

Square body, special bladed contacts

Color

None

Interrupt rating

100 kAIC

Construction size

3

Packaging type

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

Compliance information

[CE Fuse-links for the protection of semiconductor devices, Size 3](#)

[UKCA Fuse-links for the protection of semiconductor devices, Size 3](#)

Standard

Voltage rating

1250 V

Fuse type

T indicator for micro

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)