

# Eaton 170M6276

Catalog Number: 170M6276

Fuse-link, high speed, 1000 A, AC 690 V, size 3, 74 x 92 x 141 mm, aR, IEC, single indicator

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed square body fuse	170M6276
	<b>EAN</b>
	5996516018804
<b>Product Length/Depth</b>	<b>Product Height</b>
90 mm	74 mm
<b>Product Width</b>	<b>Product Weight</b>
160 mm	0.001 g
<b>Compliances</b>	<b>Certifications</b>
CE	IEC 60269-4
RoHS Compliant	
EAC	

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

semiconductor protection

### Amperage Rating

1000 A

### Breaking capacity

200 kA

### Fuse indicator

Centre fuse status indicator

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC

### Fuse size

3

### Rated voltage AC

690 V

### Center-to-center distance of connections

108 mm

### Current type

AC

### Mounting dimension

M10

### Class

Class aR

### Watt losses

125 W

### Fuse shape

Square body, slotted center bolted tags

### Color

None

### Interrupt rating

## Resources

### Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

200 kAIC

Construction size

3

Packaging type

Standard

Voltage rating

690 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)