Eaton 170M6541

Catalog Number: 170M6541

Fuse-link, high speed, 450 A, AC 1250 V, size 3, 76 x 92 x 83 mm, aR, IEC, UL, type K indicator

General specifications



Eaton Bussmann series high speed

square body fuse

EAN

5996516019719

Product Height

92 mm

Product Weight

1265 g

Compliances

CE Marked RoHS Compliant Catalog Number

170M6541

UPC

051712264457

Product Length/Depth

76 mm

Product Width

83 mm

Warranty

Not Applicable

Certifications

UL Recognized IEC Rated



default Taxonomy Attribute Label

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

450 A

Breaking capacity

100 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Fuse size

3

Rated voltage AC

1250 V

Center-to-center distance of connections

82.4 mm

Current type

AC

Mounting dimension

M12

Class

Class aR

Clearing (I2T)

185000 at 1000 V, 245000 at 1250 V

Watt losses

100 W

Fuse shape

Square body, flush end contacts

Resources

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-enus.pdf

170M6541~Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Compliance information

CE Fuse-links for the protection of semiconductor devices, Size 3

UKCA Fuse-links for the protection of semiconductor devices, Size 3

Pre arc (I2T)

31000

Color

None

Interrupt rating

100 kAIC

Fitted with:

Type K Indicator for micro

Construction size

3

Mounting method

Flush

Packaging type

Standard

Voltage rating

1250 V (IEC), 1300 V (UL)

Fuse type

Flush end

BKN/80 Type K Indicator for Micro

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia