

Eaton 170M6547

Catalog Number: 170M6547

Fuse-link, high speed, 900 A, AC 1100 V, size 3, 76 x 92 x 83 mm, aR, IEC, UL, type K indicator

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M6547
	UPC
	051712264518
EAN	Product Length/Depth
5996516019771	168 mm
Product Height	Product Width
76 mm	95 mm
Product Weight	Warranty
1308 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

900 A

Breaking capacity

100 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Fuse size

3

Rated voltage AC

1100 V

Center-to-center distance of connections

82.4 mm

Current type

AC

Mounting dimension

M12

Class

Class aR

Clearing (I²T)

1500000 at 1000 V, 1900000 at 1250 V

Watt losses

130 W

Fuse shape

Square body, flush end contacts

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M6547-Eaton Bussmann series high speed square body fuse

Compliance information

CE Fuse-links for the protection of semiconductor devices, Size 3

UKCA Fuse-links for the protection of semiconductor devices, Size 3

Pre arc (I2T)

305000

Color

None

Interrupt rating

100 kAIC

Fitted with:

Type K Indicator for micro

Construction size

3

Mounting method

Flush

Packaging type

Standard

Voltage rating

1100 V

Fuse type

Flush end

BKN/80 Type K Indicator for Micro

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia