

Eaton 170M6608

Catalog Number: 170M6608

Eaton Bussmann series high speed square body fuse, 500 A, 690 V, 91.3 Millimeter, Size 3, None

General specifications



Photo is representative

Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M6608

UPC

051712264778

EAN

5996516020029

Product Length/Depth

170 mm

Product Height

76 mm

Product Width

96 mm

Product Weight

1193 g

Warranty

Not Applicable

Compliances

CE Marked

RoHS Compliant

Certifications

UL Recognized

IEC Rated



Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

500 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

690 V

Center-to-center distance of connections

91.3 mm

Current type

AC

Mounting dimension

Other

Class

Class aR

Clearing (I2T)

95000 at 660 V

Watt losses

95 W

Fuse shape

Square body, center bolted tags

Resources

Catalogs

170M6608–Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Pre arc (I2T)

14000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

3

Packaging type

Standard

Voltage rating

690 V

Fuse type

US Style

FU/Without indicator

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia