

Eaton 170M6615

Catalog Number: 170M6615

Fuse-link, high speed, 1100 A, AC 690 V, size 3, 76 x 92 x 135 mm, aR, IEC, UL

General specifications



Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M6615

UPC

051712264839

EAN

5996516020098

Product Length/Depth

170 mm

Product Height

76 mm

Product Width

96 mm

Product Weight

1194 g

Warranty

Not Applicable

Compliances

CE Marked

RoHS Compliant

Certifications

IEC Rated

UL Recognized



Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

1100 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

690 V

Center-to-center distance of connections

91.3 mm

Current type

AC

Mounting dimension

Other

Class

Class aR

Clearing (I²T)

1300000 at 660 V

Watt losses

130 W

Fuse shape

Square body, center bolted tags

Resources

Catalogs

170M6615-Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Pre arc (I2T)

190000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

3

Packaging type

Standard

Voltage rating

690 V

Fuse type

US Style

FU/Without indicator

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia