Eaton 170M6721

Catalog Number: 170M6721

Fuse-link, high speed, 2000 A, AC 550 V, size 3, 67 x 92 x 155 mm, aR, IEC, UL

General specifications

Product Name

Eaton Bussmann series high speed square body fuse

EAN 5996516020531

Product Height 76 mm

Product Weight 1251 g

Compliances CE Marked RoHS Compliant 170M6721 UPC 051712265348

Catalog Number

Product Length/Depth 168 mm

Product Width 95 mm

Warranty Not Applicable

Certifications

UL Recognized IEC Rated



Photo is representative



defaultTaxonomyAttributeLabel

Туре

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

2000 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

550 V

Center-to-center distance of connections

114 mm

Current type

AC

Mounting dimension

Other

Class

Class aR

Clearing (I2T)

6350000 at 660 V

Watt losses

175 W

Fuse shape

Square body, center bolted tags

Resources

Catalogs

170M6721~Eaton Bussmann series high speed square body fuse Bussmann series complete full line catalog no. 1007

Compliance information

CE Fuse-links for the protection of semiconductor devices, Size 3

UKCA Fuse-links for the protection of semiconductor devices, Size 3

Pre arc (I2T)

1150000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

3

Packaging type

Standard

Voltage rating

550 V

Fuse type

US Style FU/115 without indicator Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia