

Eaton 170M6747

Catalog Number: 170M6747

Fuse-link, high speed, 900 A, AC 1250 V, size 3, 76 x 92 x 159 mm, aR, IEC, UL, single indicator

General specifications



Photo is representative

Product Name

Eaton Bussmann series high speed square body fuse

Catalog Number

170M6747

Model Code

FUSE 900A 1250V 3FKE/115 AR CU

UPC

051712265447

EAN

5027590333993

Product Length/Depth

168 mm

Product Height

76 mm

Product Width

95 mm

Product Weight

1344 g

Compliances

CE Marked
RoHS Compliant

Certifications

UL Recognized
CSA Certified
IEC Rated

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

900 A

Breaking capacity

100 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

1250 V

Center-to-center distance of connections

114 mm

Current type

AC

Mounting dimension

Other

Class

Class aR

Clearing (I²T)

1500000 at 1000 V, 1900000 at 1250 V

Watt losses

130 W

Fuse shape

Square body, center bolted tags

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

Compliance information

[UKCA Fuse-links for the protection of semiconductor devices, Size 3](#)

[CE Fuse-links for the protection of semiconductor devices, Size 3](#)

Pre arc (I2T)

305000

Color

None

Interrupt rating

100 kAIC

Fitted with:

Type K Indicator for micro

Construction size

3

Packaging type

Standard

Voltage rating

1250 V

Fuse type

US Style

FKE/115 Type K indicator for micro

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia