Eaton 170M7031

Catalog Number: 170M7031

Fuse-link, high speed, 1100 A, AC 1000 V, 200 kA, size 4, 100 x 133 x 90 mm, aR, IEC, type K indicator

General specifications



Product Name

Eaton Bussmann series high speed square body fuse

UPC

051712799379

Product Length/Depth

61 mm

Product Width

133 mm

Warranty

Not Applicable

Certifications

UL Recognized IEC Rated

Catalog Number

170M7031

Model Code

FUSE 1100A 1000V 4SBKN/90 AR

EAN

5996516020920

Product Height

120 mm

Product Weight

3329 g

Compliances

CE Marked

RoHS Compliant



default Taxonomy Attribute LabelType Fuse Application Semiconductor, DC Common bus, DC drives, power converters/rectifiers **Amperage Rating** 3000 A Breaking capacity 200 kA Fuse indicator Centre fuse status indicator Insulated metal gripping lugs (IMGL) No Utilization category aR (accompanied semiconductor protection) Voltage type AC Fuse size 4 Rated voltage AC 1000 V Center-to-center distance of connections 61.4 mm Current type AC Mounting dimension M10 Class Class aR Clearing (I2T) 1500000 at 1000 V Watt losses 200 W

Pre arc (I2T) 250000

Resources

Catalogs

170M7031~FUSE 3000A 690V 4SBKN/60 AR

Bussmann series complete full line catalog no. 1007

Color

None

Interrupt rating

200 kAIC

Connection

Din 43-620 blade end x Din 43-620 blade end

Construction size

4

Mounting method

Flush

Packaging type

Standard

Voltage rating

1000 V (IEC)

Fuse type

Flush end

SBKN/90 Type K indicator

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia