

Eaton 170M7156

Catalog Number: 170M7156

Fuse-link, high speed, 3000 A, AC 1000 V, size 4, 120 x 105 x 89 mm, aR, IEC, type K indicator

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M7156
	UPC
	051712295277
EAN	Product Length/Depth
5996516021347	89 mm
Product Height	Product Width
120 mm	133 mm
Product Weight	Warranty
2689 g	Not Applicable
Compliances	
Contact factory	
RoHS Compliant	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

3000 A

Breaking capacity

200 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

4

Rated voltage AC

1000 V

Center-to-center distance of connections

89.4 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I₂T)

28000000 at 1000 V

Watt losses

380 W

Pre arc (I₂T)

4700000

Resources

Catalogs

170M7156~FUSE 3000A 1000V 4SBKN/90AR

Bussmann series complete full line catalog no. 1007

Technical data sheets

170M Size 4 Flush end fuses 1000 VAC (IEC and IEC/UL)

Color

None

Interrupt rating

200 kAIC

Construction size

4

Mounting method

Flush

Packaging type

Standard

Voltage rating

1000 V (IEC)

Fuse type

Flush end

SBKN/90 Type K indicator

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)