

Eaton 170M8616

Catalog Number: 170M8616

Fuse-link, high speed, 400 A, AC 1000 V, DIN 3, 74 x 92 x 138 mm, aR, DIN, IEC, single indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M8616
	EAN
	5996516022498
UPC	Product Length/Depth
051712604192	141 mm
Product Height	Product Width
76 mm	82.5 mm
Product Weight	Compliances
1305 g	CE
	RoHS Compliant
	EAC
Certifications	Model Code
IEC 60269-4	FUSE 400A 1000V 3KN/110 AR UR

defaultTaxonomyAttributeLabel

Type

Fuse

Application

semiconductor protection

Amperage Rating

400 A

Breaking capacity

125 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

3

Rated voltage AC

1000 V

Center-to-center distance of connections

108 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Watt losses

105 W

Fuse shape

Square body, slotted center bolted tags

Color

None

Interrupt rating

Resources

Catalogues

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

Compliance information

[UKCA Fuse-links for the protection of semiconductor devices, Size 3](#)

[CE Fuse-links for the protection of semiconductor devices, Size 3](#)

125 kAIC

Construction size

3

Packaging type

Standard

Voltage rating

1000 V

Fuse type

Bolted tag

DIN 43653

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia