

# Eaton 20D27

Catalog Number: 20D27

Eaton Bussmann series low voltage D fuse, 500V, 20A, 50 kAIC, Non Indicating, fuse, Class C gL/gG, Time delay, Blue, Ceramic body



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage D fuse	20D27
	UPC
	051712832335
<b>EAN</b>	<b>Product Length/Depth</b>
5027590467759	50 mm
<b>Product Height</b>	<b>Product Width</b>
21.5 mm	21.5 mm
<b>Product Weight</b>	<b>Compliances</b>
29.64 g	CE Marked
	GoST-R
	RoHS Compliant

## Certifications

IEC 60269  
VDE  
DIN EN 60269-3 (VDE 0636 Part 30)  
DIN EN 60269-1 (VDE 0636 Part 10)  
DIN VDE 0636-301

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

For domestic and general industrial applications

### Amperage Rating

20 A

### Fuse size

DII

### Breaking capacity

50 kA

### Construction size (fuse inserts)

DII

### Rated voltage AC

500 V

### Class

Class C gL/gG

### Fuse type

D27 -Time delay

### Accessory/spare part type

20GD27 Blue screw cap gauge piece

### Utilization category

gL/gG (cable protection/equipment protection)

### Color

Blue

### Interrupt rating

50 kAIC

### Fuse indicator

Non-indicating

### Connection

Other

### Construction

D2

### Construction size

DII

### Fuse shape

## Resources

### Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

### Catalogs

[CA134002EN](#)

[20D27~Eaton Bussmann series low voltage D fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[CE Bottle fuse-links, holders, carriers and accessories](#)

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

### Sales notes

[Product change notification PCN\\_BUR\\_00188](#)

### Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

Bottle

#### Response time

Time-delay

#### Suitable for

E27/DII Fuse base

TFD27 Fuse base screw fixing

SFRD27 Fuse base DIN-Rail mount

TFRD27 Fuse base DIN-Rail mount

#### Material

White ceramic body

#### Release characteristic

Time-lag

#### Quantity

25

#### Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)