

# Eaton 224NHG1B

Catalog Number: 224NHG1B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 224A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body

## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	224NHG1B
	EAN
	5027590468541
UPC	Product Length/Depth
051712626040	135 mm
Product Height	Product Width
63 mm	40 mm
Product Weight	Compliances
407.3333333 g	CE Marked
	RoHS Compliant
Certifications	
IEC 60269-1	
IEC 60269-2	
DIN 43620	



## Electrical data

### Amperage Rating

224 A

### Voltage rating

500 V

### Voltage type

AC

### Breaking capacity

120 kA

### Class

Class gG/gL

### Frequency rating - min

45 Hz

### Frequency rating - max

62 Hz

## Product specification

### Fuse size

NH1

### Insulated metal gripping lugs (IMGL)

No

## Accessories

### Suitable for

SD1-D Single pole NH Fuse base

TD1-D Tripe pole NH Fuse base

Microswitch 170H0236

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

## Resources

### Catalogues

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

CA134002EN

NH Fuse links, bases and gear

### Compliance information

[UKCA NH Size 01/1, 500V fuse-links](#)

[CE NH Size 01/1, 500V fuse-links](#)

### Multimedia

[Eaton Bussmann – NH fuse link portfolio](#)

### Presentations

[NH Overview Video](#)

### Technical data sheets

[10164 NH 500 Volts gG](#)

### Technical service bulletins

[Datasheet - 224NHG1B](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)