

Eaton 250NHG1B

Catalog Number: 250NHG1B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 250A, 120 kAIC, Combination fuse status indicator, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	250NHG1B
	EAN
	5027590420570
UPC	Product Length/Depth
051712626057	135 mm
Product Height	Product Width
63 mm	40 mm
Product Weight	Compliances
407.3333333 g	CE Marked
	RoHS Compliant
Certifications	
IEC 60269-1	
IEC 60269-2	
DIN 43620	



Electrical data

Amperage Rating

250 A

Voltage rating

500 V

Voltage type

AC

Breaking capacity

120 kA

Class

Class gG/gL

Frequency rating - min

45 Hz

Frequency rating - max

62 Hz

Product specification

Fuse size

NH1

Insulated metal gripping lugs (IMGL)

No

Accessories

Suitable for

SD1-D Single pole NH Fuse base

TD1-D Tripe pole NH Fuse base

Microswitch 170H0236

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

Resources

Catalogues

NH Fuse links, bases and gear

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

CA134002EN

Compliance information

CE NH Size 01/1, 500V fuse-links

UKCA NH Size 01/1, 500V fuse-links

Multimedia

Eaton Bussmann – NH fuse link portfolio

Presentations

NH Overview Video

Technical data sheets

10164 NH 500 Volts gG

Technical service bulletins

Datasheet - 250NHG1B



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)