

# Eaton 315NHG3B-690

Catalog Number: 315NHG3B-690

Eaton Bussmann series low voltage NH Fuse, 315 A, 690 V, 120 kAIC, 22 Watt, Blade end

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage NH Fuse	315NHG3B-690
	<b>Model Code</b>
	NH FUSE 315A 690V gG SIZE 3
<b>UPC</b>	<b>EAN</b>
051712193023	5027590476539
<b>Product Length/Depth</b>	<b>Product Height</b>
150 mm	86 mm
<b>Product Width</b>	<b>Product Weight</b>
71 mm	1110 g
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	RoHS Compliant
	CE Marked
<b>Certifications</b>	
IEC 60269-1	
IEC 60269-2	
DIN 43620	



## defaultTaxonomyAttributeLabel

### Type

Fuse

### Special features

Live gripping lug

### Application

industrial

Utilities, Solar, Wind

### Amperage Rating

315 A

### Fitted with:

Metal gripping lugs

### Fuse size

NH3

### Current type

AC

### Breaking capacity

120 kA

### Frequency rating - max

62 Hz

### Frequency rating - min

45 Hz

### Rated switching capacity

120 kA

### Rated voltage AC

690 V

### Class

Class gG/gL

### Fuse type

Square body with knife blade contact

### Accessory/spare part type

SDL-3 Solid link

FEH- Fuse extraction handle

SD3-SK Shroud kit

SD3-PB 2-phase barriers and 2 ganging links

TD3-IP20 Triple pole protection kit

## Resources

### Catalogs

CA134002EN

NH Fuse links, bases and gear

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[CE NH Size 3, 690V fuse-link](#)

[UKCA NH Size 3, 690V fuse-links](#)

### Multimedia

[Eaton Bussmann – NH fuse link portfolio](#)

### Presentations

[NH Overview Video](#)

Utilization category

gL/gG (cable protection/equipment protection)

Interrupt rating

120 kAIC

Fuse indicator

Combination fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Watt losses

22 W

Connection

Blade end

Construction

NH3

Construction size

NH3

Fuse shape

Knife blade contacts

Square body

Voltage type

AC

Suitable for

SD3-D Single pole NH Fuse base

TD3-D Tripe pole NH Fuse base

Microswitch 170H0235

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

Material

Ceramic body

Packaging type

Standard

Quantity

3

Voltage rating

690 V

Rated switching capacity AC

120 kA



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)