Eaton 35ET

Catalog Number: 35ET

Eaton Bussmann series high speed British standard fuse, Single barrel, 35A, 690 VAC/500 VDC (IEC), 700 VAC/500 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym.HS, 50 kA DC at 500 VDC

General specifications



Eaton Bussmann series high speed

british standard fuse

Catalog Number

35ET

UPC

051712834179

Product Length/Depth

EAN

5027590477710 76 mm

Product Height

20 mm

Product Width

20 mm

Product Weight

41.4 g

Warranty

Not Applicable

UL Recognized

Certifications

IEC Rated

Compliances

CE Marked RoHS Compliant

Designed and tested to BS88 part 4

IEC 60269-4





Electrical data

Amperage Rating

35 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

200 kA RMS Sym, 50 kA at 500 Vdc

Class

Class aR

Pre arc (I2T)

52

Clearing (I2T)

310

Watt losses

11 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatble Trip indicator/Microswitch

Suitable for

EC-600 Trip indicator kit (indicator + clips)

TI700 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Brochures

 $eaton-bus smann-series-bs 88-high-speed-fuses-product-aid-\\pal 35003 en-us.pdf$

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Certification reports

DA-DC-00004685

DA-DC-00004682

Technical data sheets

720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia