

# Eaton 3::6WKLSJ250

Catalog Number: 3.6WKLSJ250

Eaton Bussmann series medium voltage motor fuse, 250 A, 3.6 kV, 76 x 292 mm, Non Indicating

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series medium voltage motor fuse	3.6WKLSJ250
	<b>UPC</b>
	051712834902
<b>EAN</b>	<b>Product Length/Depth</b>
5027590475839	292 mm
<b>Product Height</b>	<b>Product Width</b>
76 mm	76 mm
<b>Product Weight</b>	<b>Warranty</b>
3160 g	Not Applicable
<b>Compliances</b>	<b>Certifications</b>
VDE 0670-4 DIN 43625	IEC60282-1

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

Motor protection

### Amperage Rating

250 A

### Fuse indicator

Non Indicating

### Fuse size

76 x 292 mm

### Breaking capacity

50 A

### Installation technique

Air

### Performance Cat According To IEC 60282-1

Back-up

### Product application

Motor protection

### Rated frequency - max

50 Hz

### Rated frequency - min

50 Hz

### Release characteristic

Other

### Standard

DIN

### Utilization category

Other

### Voltage type

AC

### With striker

Yes

### Class

Class back-up

### Fuse shape

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

3.6WKLSJ250~3-6WKLSJ250~3.6KV 250Amp 3 'J' Motorstart Fuse

Cylindrical

Used with

A3354730 Nickel-plated copper fuse clip

Watt losses

67 W

Resistance

0.74 ohms

Fuse diameter

76 mm

Interrupt rating

50 kAIC

Construction size

76 x 292 mm

Packaging type

Standard

Voltage rating

3.6 kV

Fuse type

WKLSJ



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)