

# Eaton 630NHG3B

Catalog Number: 630NHG3B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 630A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body

## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	630NHG3B
	UPC
	051712626255
EAN	Product Length/Depth
5027590484879	150 mm
Product Height	Product Width
86 mm	71 mm
Product Weight	Compliances
1068.667 g	RoHS Compliant
	CE Marked
Certifications	
IEC 60269-1	
IEC 60269-2	
DIN 43620	

## defaultTaxonomyAttributeLabel

### Type

fuse

### Special features

Live gripping lug

### Application

industrial  
Utilities, Solar, Wind

### Amperage Rating

630 A

### Fitted with:

Metal gripping lugs

### Fuse size

NH0

### Current type

AC

### Breaking capacity

120 kA

### Frequency rating - max

62 Hz

### Frequency rating - min

45 Hz

### Rated switching capacity

120 kA

### Rated voltage AC

500 V

### Class

Class gG/gL

### Fuse type

Square body with knife blade contact

### Utilization category

gL/gG (cable protection/equipment protection)

### Interrupt rating

120 kAIC

### Fuse indicator

## Resources

### Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[NH Fuse links, bases and gear](#)

[CA134002EN](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[CE NH Size 3, 500V fuse-links 315A to 630A](#)

[UKCA NH Size 3, 500V fuse-links 315A to 630A](#)

### Multimedia

[Eaton Bussmann – NH fuse link portfolio](#)

### Presentations

[NH Overview Video](#)

### Technical data sheets

[10164 NH 500 Volts gG](#)

Combination fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Connection

Blade end

Construction

NH3

Construction size

NH3

Fuse shape

Square body

Knife blade contacts

Voltage type

AC

Suitable for

EBF Vertical fuse rail

EBV Vertical fuse switch-disconnectors

Material

Ceramic body

Quantity

3

Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)